

## MATERIAL SAFETY DATA SHEET

## **CONCRETE SEALER**

HAZARD RATING		HAZARD IDENTIFICATION RATING SCALE	
HEALTH	1	0	=LEAST
<b>FLAMMABILITY</b>	0	1	=SLIGHT
REACTIVITY	0	2	=MODERATE
		3	=HIGH
		4	=EXTREME

#### HAZARDOUS INGREDIENTS/INFORMATION

HAZARDOUS COMPONENTS	CAS#	OSHA/PEL	ACGIH / TLV	OTHER / STEL	SK
2-Butoxy Ethanol	111-76-2	25 ppm	25 PPM		

NOTE: AN '\*' UNDER 'SK' (SKIN) INDICATES THAT OSHA REQUIRES SKIN PROTECTION TO PREVENT OR REDUCE EXPOSURE TO THIS INGREDIENT.

### PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: >212 F Vapour Pressure (mm Hg): ND Vapour Density (Air=1): >1 Solubility in Water: MISCIBLE Appearance and odour: White liquid with bland odour. Specific Gravity (H20=1): 1.04
Melting Point: NA
Evaporation Rate:(Butyl Acetate=1) <1

### FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used):NONE Flammable Limits: LEL:N/A UEL: N/A Extinguishing Media: Carbon dioxide, dry chemical, or alcohol foam. Special Fire Fighting Procedures: NONE. Explosion Hazards: NONE

Zurcher Street, San Fernando, Trinidad, West Indies.

Telephone: (868) 652-6712 | Email: admin@allchemtt.com | www.allchemtt.com



# MATERIAL SAFETY DATA SHEET

## **CONCRETE SEALER**

#### REACTIVITY DATA

Stability: Stable

Incompatibility (Materials to Avoid): Oxidizers or strong acids.

Hazardous Decomposition or By-products: Heat, carbon dioxide, and carbon monoxide.

Hazardous Polymerization: Will not occur.

#### **HEALTH HAZARD DATA**

Health Hazards (Acute and Chronic): NONE KNOWN

Routes of Entry, Signs of Exposure, and Symptoms of Exposure:

SKIN and EYES: Severe irritant to eyes.

INHALATION: Irritation and difficulty in breathing

INGESTION: Gastric pain and vomiting.

Medical Conditions Generally Aggravated by Exposure: Unknown

Carcinogenic: NONE

Emergency and First Aid Procedures:

SKIN & EYE CONTACT: Rinse skin with clear water. For eye contact immediately flush with clear running water for 15

minutes. Get medical attention.

INHALATION: Remove to fresh air. If breathing does not return to normal, get medical attention.

INGESTION: Immediately drink large quantities of water. Get medical attention.

#### PRECAUTIONS FOR SAFE HANDLING AND USE

SPILLS: Dilute with water and dispose in accordance with federal and state regulations. Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions. Other Precautions: Keep this and all chemicals out of the reach of children.

#### **CONTROL MEASURES**

Respiratory Protection (Specify Type): For exposure above established limits (see section II) use NIOSH/MSMA approved dust/mist mask.

Ventilation: Mechanical: Recommended. Protective Gloves: Rubber or neoprene.

Eye Protection: Safety glasses.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

### ADDITIONAL INFORMATION

Zurcher Street, San Fernando, Trinidad, West Indies.

Telephone: (868) 652-6712 | Email: admin@allchemtt.com | www.allchemtt.com



# MATERIAL SAFETY DATA SHEET

# **CONCRETE SEALER**

### **DISCLAIMER**

AllChem Limited does not accept responsibility for misuse of this product or injuries/damages that may occur due to failure in adhering to the safety precautions outlined on this document.