

MATERIAL SAFETY DATA SHEET

FLOOR SEALER

HAZARD RATING	HAZARD IDENTIFICATION RATING SCALE		
HEALTH	1	0	=LEAST
FLAMMABILITY	0	1	=SLIGHT
REACTIVITY	0	2	=MODERATE
		3	=HIGH
		4	=EXTREME

HAZARDOUS INGREDIENTS/INFORMATION

HAZARDOUS COMPONENTS	CAS#	OSHA / PEL	ACGIH / TLV	OTHER / STEL	SK
DIETHYLENE GLYCOL METHYL	111-77-2	NE	NE		
DIBUTYL PHTHALATE	84-74-2	5mg/m ³	5mg/m ³		

NOTE: AN '*' UNDER 'SK' (SKIN) INDICATES THAT OSHA REQUIRES SKIN PROTECTION TO PREVENT OR REDUCE EXPOSURE TO THIS INGREDIENT.

PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: >212 F
 Vapour Pressure (mm Hg): ND
 Vapour Density (Air=1): >1
 Solubility in Water: COMPLETE

Appearance and odour: White liquid with bland odour.
 Specific Gravity (H2O=1): 1.04
 Melting Point: NA
 Evaporation Rate:(Butyl Acetate=1) <1

FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used):NONE

Flammable Limits: LEL:N/A UEL: N/A

Extinguishing Media: Carbon dioxide, dry chemical, or alcohol foam.

Special Fire Fighting Procedures: NONE.

Explosion Hazards: NONE

MATERIAL SAFETY DATA SHEET

FLOOR SEALER

REACTIVITY DATA

Stability: Stable

Incompatibility (Materials to Avoid): Oxidizers or strong acids.

Hazardous Decomposition or By-products: Heat, carbon dioxide, and carbon monoxide.

Hazardous Polymerization: Will not occur.

HEALTH HAZARD DATA

Health Hazards (Acute and Chronic): NONE KNOWN

Routes of Entry, Signs of Exposure, and Symptoms of Exposure:

SKIN and EYES: Severe irritant to eyes.

INHALATION: Irritation and difficulty in breathing

INGESTION: Gastric pain and vomiting.

Medical Conditions Generally Aggravated by Exposure: Unknown

Carcinogenic: NONE

Emergency and First Aid Procedures:

SKIN & EYE CONTACT: Rinse skin with clear water. For eye contact immediately flush with clear running water for 15 minutes. Get medical attention.

INHALATION: Remove to fresh air. If breathing does not return to normal, get medical attention.

INGESTION: Immediately drink large quantities of water. Get medical attention.

PRECAUTIONS FOR SAFE HANDLING AND USE

SPILLS: Dilute with water and dispose in accordance with federal and state regulations.

Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions.

Other Precautions: Keep this and all chemicals out of the reach of children.

CONTROL MEASURES

Respiratory Protection (Specify Type): For exposure above established limits (see section II) use NIOSH/MSMA approved dust/mist mask.

Ventilation: Mechanical: Recommended.

Protective Gloves: Rubber or neoprene.

Eye Protection: Safety glasses.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

ADDITIONAL INFORMATION

Zurcher Street, San Fernando, Trinidad, West Indies.

Telephone: (868) 652-6712 | Email: admin@allchemtt.com | www.allchemtt.com

MATERIAL SAFETY DATA SHEET

FLOOR SEALER

DISCLAIMER

AllChem Limited does not accept responsibility for misuse of this product or injuries/damages that may occur due to failure in adhering to the safety precautions outlined on this document.